



BESTBAR

SHAPES GUIDE




STANDARD BENDING

KEY

- 3D (RL UP or RL DOWN)
- Coupler
- WWW Spiral


AU




COIL




CZ



CZ1



CZ2




FA




FB




FE




FF




FG




FH



H




HBB




HEX2




HH




HHR




HJ




HL




HM




HS




HSA




HSB




HSC




HSD




HT




HU




HV




HW




HX




HY




J




JA




JD




JE



JG




JHG




JK




JL




JM




JMM




JN



JNN




JO



JP




JY




L




LBC



LCC




LD



LH




LHH



LHJ




LHV



LL




LLV




LU




LUC




LVV



LVW




RLH




S




SH




SHA



SHB




SHC




SHD




SHI




SHO




SHV




THS




TLO




TLS




TR1




TR2




TS




U




UA




UC




US




UT




UV



UVS




UVV




V




VB



VD




VDL




VE




VH




VI




VJ




VP




VPA




VPP




VR




VT




VTT




VV




VVA




VX




W




Z



ZA




ZB




ZC




ZL




ZLA




ZUU




ZV




ZVA



ZVB



ZVP




COMPLEX BENDING


KEY

- 3D (RL UP or RL DOWN)
- ▭ Coupler
- WWW Spiral


HEH




HEX




HEY




JB




JC




JCB



JH



JI




JJ




JMN




JQ1




JQ2




M



O




OC




OH




PM




PM1




PM2



PM3




PM4




PO1



PO2




PO3




RA




RB




RC



RCB



RCC



RD



RU




RUA




RUH




SHBS




SHS




SL




SLB




SP




SP1




SP2




T




TA




TAA




TD




TE




TF




TFV



TG




TG2




TH




TH2



THA





SHAPE AVAILABILITY

Note that the availability of bending shape codes depends on each branch's production and machine capacity. For accurate information on shape availability, please contact our sales team via ReoNet or the emails provided below:

SA SA.Sales@bestbar.com.au

NT NT.Sales@bestbar.com.au

NSW NSW.Sales@bestbar.com.au

WA Sales@bestbar.com.au

VIC VIC.Sales@bestbar.com.au

STANDARD BENDING

≤ 4 bends

Projects are generally made up of up to 94% of these shapes (our group average).

COMPLEX, RADIUS & 3D BENDING

Complex Bending:

> 4 bends or > 2 horizontal planes and M sheets.

Radius Bending:

Any bending that requires a radius greater than 100mm.

3D Bending:

Any bending that requires a roll down or roll up.

Projects are generally made up of up to 6% of these shapes (our group average).

PRECAST & HIGH TOLERANCE PROCESSING

Any cutting and bending with high tolerance specifications or requirements will be charged a high tolerance charge.

*Should be read in conjunction with Bestbar Reinforcements Service Charges document.



